

Sleek
Solid
Stylish

DESIGNED FOR
PERFECTION



Cochin Office:

2nd Floor, Payikkattu Buildings, S. A. Road, Janatha Junction, Vyttila, Ernakulam - 682 019. Tel: 0484 3192666, 4054059

Calicut Office:

2nd floor, hill view tower, Opp : medical college hospital , Calicut - 673 008.

E-mail: info@camupvc.com camupvc@gmail.com
www.camupvc.com

Sleek
Solid
Stylish



Windows • Doors • Partitions

C O N T E N T S

1. Company Profile
2. Why Cam uPVC
3. Types of windows
4. Doors
5. KOMMERLING – more than just a window
6. CAMuPVC Hardwares & Accessories
7. CAM uPVC vs Wood and Aluminum
8. Cam uPVC for exotic window innovation
9. Window Designs
10. Cam uPVC for Professionals
11. Color your Desire
12. Certificate and Warranty
13. Portfolio



COMPANY PROFILE

CAM uPVC is the pioneer to introduce the concept of uPVC windows and doors in south India. CAM uPVC has its factory located at Perumbavoor in Ernakulam district, Kerala. CAM uPVC Windows and doors are made of high quality Kommerling international uPVC profiles which gives our windows lifelong warranty and better living. They are crafted to the highest quality specifications making it ideal for Indian climatic conditions. Moreover, our onsite installation facilities are top-notch.

CAM uPVC has installed over 10 lakh sq. ft. of uPVC windows and doors. Our customers are assured of design support, offsite fabrication, firm commitments on deliveries and a trained installation team, to ensure consistent quality and timely erection. The outer wall thickness of all CAM uPVC profiles is more than 2.5 mm, with tropical mix impact resistance as per International standards as well as welding strength in accordance to EN514.

CAM uPVC has designed uPVC windows and doors to withstand India's extreme climatic conditions. With CAM uPVC, customer is assured of end to end service starting from selecting right designs, site survey, fabrication, delivery and installation. As window experts, CAM uPVC takes pride in its ability to serve individual homes and large developers with equal ease. Our windows are available in a wide range of styles (astragal bar, French, shaped, tilt & turn and casement) and colours. CAM uPVC windows will not only improve the appearance and security of your home but also reduce your energy bills by choosing products with a high Window Energy Rating.



CAM uPVC windows offer a number of benefits over conventional wood, aluminum and steel windows. These benefits include:

- Noise and Dust Proof, Silicon sealing, multi point locks and non-conducting properties of UPVC make these windows noise and dust proof. The company has engineered a special window for heavy torrential rains. Windows to withstand high wind speeds by imparting additional strength.
- Ventilation: Ease of use allows ample ventilation and sunlight in the house. Maintenance free and long lasting – These windows do not require paint or polishing and are therefore maintenance free.
- Saves Energy – These windows cuts air conditioning costs significantly.

WHY CAM uPVC ?

We are foremost company to introduce uPVC window and doors in south India late in 2009. We are the largest producer and market leader in Kerala, Tamil nadu and Karnataka. . We produce over 2 lakh sq. feet of windows and doors each year. Our windows and doors are made of highest quality machines from muller and elumatec and we have very trained powerful team to handle any type of tough situations. We deal with international branded products like kommerling, assa abloy, mccoy soudal, saint gobain, yale locks, roto frank, pego etc. for producing our windows.

Our relationship with internationally renowned brand kommerling from profine international group which is largest producer of uPVC profiles gives us so much support in terms of best quality profiles and gives us all sorts of technical and practical know how about what to do and how to do? We are the one and only direct channel partner of kommerling exclusively for kerala market.



KÖMMERLING®

We are the only company in south india which have the technology to produce all type of special windows including tilt and turn windows, lift and slide and bi-folding doors. We educate our customers and make them understand the importance of choosing international profiles like kommerling for their homes. We always look for your brighter and better future and also for our better future. We believe in our strength, quality, workmanship and our customer relationship.

CAM
uPVC



TYPES OF WINDOWS

CASEMENT WINDOWS

Casement upvc windows also known as openable windows are the ones which are openable inward or outward depending upon the requirement of customers .Casement windows are mainly of French windows, Bay windows, Georgian style windows, Top hung windows and ventilators , Fixed windows etc.

Casement windows are much used in residential projects and houses. We mostly prefer casement windows for better sound proofing. Casement windows with DGU glass technology will give the windows a sound proofing upto 42 db. Casement windows are mostly commonly preferred windows . With the help of multipoint locking system in a single handle operation ,casement windows will protect the house from all sorts of burglary.

All our windows are custom sized .Therefore window design, window measurements and glass options are totally in interest of customers.

SLIDING WINDOWS

CAM uPVC sliding windows are windows which slide from one position to another in a smooth and stress free manner. uPVC sliding windows are available in different patterns. Two shutter sliding, three shutter sliding, and two track four shutter sliding are some of the commonly used sliding windows. Sash of Sliding windows are moved using rollers. In sliding windows mosquito mesh can also be fitted on all patterns. Large sliding windows and doors always gives a wide panoramic view of nature. Size of shutter , direction of opening , patterns always depends on customer needs.

TOP HUNG WINDOWS

Top hung windows are the ones which opens top ward . Normally used in commercial building and also used are washroom ventilators . Top hung windows are very effective against sound. Therefore top hung windows are in huge demand for cities just like casement windows. Top hung ventilators are done normally with an extra provision for exhaust fan for washrooms.

TILT AND TURN WINDOWS

Tilt and turn windows is a special type of window which have multiple functionality. One way of opening is just like a casement window and the other way of opening is like an inside opening top hung window, which gives a great advantage for ventilation purpose. Tilt and turn windows are very famous and common style of windows in European countries.


COLONIAL STYLE WINDOWS

Colonial style windows are those types of windows which have a similar style with olden wooden windows but with best in class security with multipoint locking features. Colonial style is of very demand in Indian market .colonial style is only available with our premium brand kommerling international profiles. Colonial style is also possible with casement doors, sliding windows, sliding doors etc. colonial style is stylish segment in uPVC window market now a days.

BAY WINDOWS

Bay window are beautiful contemporary style windows which gives classy look from inside as well as from outside. Bay window can be done in combination of fixed cum casement as well as fixed cum sliding window. Bay windows with Georgian design is a style segment in European countries. Design of bay, the shape of window, type of glass etc depends on customer needs. Customers are always welcome to choose their own style of windows .





DOORS

Casement Doors

Casement doors with uPVC is widely used for offices, bed rooms and toilet doors. Casement doors are very strong in terms of profile thickness and high quality hardware. Hardware used in casement doors are multi point cylindrical style locking in single handle operation. Casement doors are done commonly with full glass inside, half glass and half panel, and full panel doors. Glass to use always depends upon the choice of customers. Toughen glass, double glazed glass, laminated glass, tinted and frosted glass are some of the common used glass options.

Lift and sliding Doors

Lift and slide doors is a special type of upvc sliding door which doesn't have a sliding track on bottom and each shutter can go up to 1.5 meter in width. Lift and sliding upvc door is assembled using high quality roto hardware. Only kommerling international profiles have the technology to produce these type of heavy sections. We have a good team to assemble special windows including lift and slide, tilt and turn, bi-folding upvc doors.

Sliding balcony Doors

Sliding balcony doors are those types of sliding doors which are fixed on large balcony areas. Two track sliding doors, three track sliding doors, two track four shutter sliding doors etc are some of the commonly made balcony sliders. Shutters of balcony sliding doors are moved on an aluminum track with the help of rollers. Locking of balcony doors are done through multi point single hand operated locking system which is available with key and also without key option. Balcony sliding doors are very commonly used in apartments and villas with large glass areas.

Bi-folding Doors

Bi-folding door is special type of door which can be slide, folded and moved fully towards one side. Minimum of 3 shutters should be used in Bi-folding doors and each shutter shouldn't be less than one meter. Bi-folding door are generally used in very large balcony openings. Bi-folding doors are very popular type of door design in Europe and America and it is now of great demand in Indian market.



KÖMMERLING®

more than just a window

Profine is the emphatic answer to the complex development of the international market for uPVC profiles. Under the brands KBE, KOMMERLING and TROCAL, we produce uPVC profiles for windows and doors, shutters and façades as well as uPVC sheets.

Profine GmbH -International Profile Group – was established in 2003, when HT TROPLAST consolidated its profile business activities under one roof. The profine company headquarters is in Troisdorf (North Rhine-Westphalia, Germany).

Today, plastic is the most successful window material and its market share is constantly growing. In residential construction, its share is of 60 % whereas even seven out of ten windows used in renovation of old buildings are made of plastic materials. KOMMERLING offers a large number of window systems. So, every design wish can be fulfilled with different frame and sash heights and depths, double-sash elements without fixed centre post, transom/mullion combinations, real Georgian bars etc.

The product range is rounded out with window sills, safe roller and French shutters, PVC-U sheets for the building industry (used for example as residential door panels), cladding and balcony systems.

Efficiency, design, function, physical properties, the environmental protection and responsible handling of raw material resources meet the highest requirements and combine perfectly with the know-how of the window manufacturers to everyone's benefits.

With the KOMMERLING brand, we face the challenges of the future with confidence, honesty and transparency. So, we can prove our leadership position in the window profile sector every day.



Greenline Windows

We are very proud to become a channel partner kommerling international profiles which is Green line uPVC profile brand,. Kommerling profiles are 100% green environmental friendly. Kommerling profiles are lead free and to stabile the pvc , profile calcium zinc is added in proportion. All the materials are made of PVC – U i.e. PVC without plastic. Therefore all the profiles made by kommerling is completely free from toxic heavy metals.


Kommerling under profine india is also a member of Indian green building council under membership no: " IGBC – MP – 1363 ".

Please download the certificates from our website for better understanding.

CAMuPVC Hardwares & Accessories



CAM uPVC windows purchase all its hardware from pego, assa abloy and Roto frank, Germany. We never compromise on quality. Our Hardwares are the best available in upvc window market. We always believe better windows needs better Hardware. We have all types of Hardware including special window Hardware. We only provide SS 304 grade material hinges and screws . Our team is well equipped with all types of machines and technical know how about hardware assembly.



CAM uPVC vs Wood and Aluminium

CAM uPVC compared with aluminum and wood are always stronger, safer, sound resistant, heat resistant and burglar proof. uPVC windows are the most advanced innovation in the window history. Please check the below table which shows the comparison of uPVC with other traditional materials.

Particular	uPVC	Aluminium	Wood
Surface quality	The surface quality is maintained throughout its useful life.	Anodizing wears out and corrosion sets it.	Requires regular up keeping.
Thermal insulation	Excellent protection from atmospheric heat transmission due to wider profile depth and multi chamber section & low K value.	Poor. Being a metal, it has a poor thermal insulation, and high thermal conductivity.	Fair
Fire resistance	Excellent	Fair.	Poor
Acoustic insulation	Excellent. The multi chamber sealed cavities and welded corner offers excellent acoustic insulating properties	Poor. The mechanically joint corners renders very poor result from acoustic insulation angle.	Fair
Dimensional accuracies	Excellent. Fabricated by state of art sophisticated machine hence offers uniform quality control	Poor. They are fabricated manually hence poor quality and non uniformity.	Fair
Conservation of energy	Excellent	Require 7.5 times the energy than that required to manufacture PVC	--
Preservation of natural forest wealth	Excellent	Excellent	Poor
Maintenance	Less maintenance due to pristine appearance. No periodical paint work or lubrication required. Just simple cleaning with any detergent will keep the window as new as ever	Regular maintenance should be done	Requires regular Painting and Polishing
Durability	Much stronger due to galvanized iron steel reinforcement.	Good	Good
Warping	Does not warp. Last for a lifetime	Can warp.	Can Warp
Rot, rusting or corroding	Doesn't Rot, Corrode or Rust	Will rust, corrode	Changes due to climatic conditions

CAMuPVC for An Exotic Window Innovation



WEATHER PROOF WINDOWS

CAM uPVC windows are evolved out of long time research and laboratory tests which studies in depth about Indian climatic conditions. Our channel partner kommerling have about 60 years' experience in the field of windows and window profiles. Kommerling is the only international profile company which gives written warranty for about 10 years including colour. Our technicians have studied in depth the whether fluctuations in india and came up with beautiful weather resistant windows. Our windows are totally sound proof , termite resistant , fire resistant and burglar resistant. Our windows are therefore totally maintenance free. CAM uPVC windows always focus on customer satisfaction and therefore aiming towards better future of our company. We never compromise on our quality. Our windows are not cheap in pricing. We always recommend our customers to give the right price for the right product.



MONSOON PROOF WINDOWS

CAM uPVC windows are developed in such a way that resists any type heavy rain to enter inside the house. All type of windows are quality tested whether proper water hole is drilled inside and outside for proper out flow of water. Our kommerling profiles are designed with a mild slop for proper water sewage through holes. Proper leveling of shutters are equally important for proper water sealing. Each system of windows have each type of method to prevent monsoon rain from entering the indoors. Our channel partner kommerling have given us in depth knowledge about ways to with stand any type of vigorous situations. Our technicians are well trained by experienced hands kommerling.



RESISTANT TO STRONG WINDS

Strong winds are always a barrier for conventional wooden and aluminum windows. But when it comes to CAM uPVC windows, the story is all different. Our windows are full air tight. It doesn't allow to pass any strong wind to pass through them. It have the strength to withstand any type of situations. Our channel partner kommerling have all type of wind resisting accessories to withstand any high pressure winds.



CAMuPVC for Professionals

Architects and other professionals also play a very important role in Window design and approval of profile brand. Kommerling is the no 1 choice of all architects all over India and across the globe. Architects are well aware about the brand kommerling, profile composition, quality and support. Kommerling is the only profile brand which is insured with 10 years warranty for profile including color. It has over 1500 profile ranges across the globe. It has its profile manufacturing units in eight countries including India being the latest. Kommerling India is located in Vadodara Gujarat. We have invested over 250 cr in India.

In terms of hardware, we supply only assa abloy hardware for normal windows and for special windows like tilt and turn, bi-folding, lift and sliding, we supply only Roto frank. We have a great support team from assa abloy hardware which is also the mother company of famous Yale locks.

Below are the profile details with drawings of kommerling section. Also please check out the type of handle and hardware's etc.



WINDOW DESIGNS

Any type of window design is possible with CAM uPVC profiles. We produce windows out of Kommerling international profiles, which is an internationally accepted profile which is best in class quality and has over 60 years' experience in the field of profile manufacturing and which is 1st company to introduce uPVC windows and profile system to the world. We are very proud to become one of the best channel partners of kommerling international and we are very satisfied to give our customer best in class quality profiles. We have all type of window designs including special windows like tilt and turn windows, lift and sliding windows, bi-folding windows. Casement windows, French windows, colonial style windows, bay windows, curved windows, sliding, top hung, balcony sliding doors etc are some of the commonly made windows. We also make any type of combination window as per the requirement of the customers while keeping up the technical aspects side by side.



COLOUR YOUR DESIRE

CAM uPVC windows channel partner of Kommerling is very delightful to introduce color option for upvc profiles. kommerling color profiles are done using renolit lamination foils which includes a warranty of 7 years. Following are the colors which are in great demand in today's market. We supply laminated profiles in white profiles as well as brown profiles. Window design, color, glass options are always in the hands of the customers to choose.



9.2052 789-116701
Dark Oak
(Eiche Dunkel)



9.2097 713-116701
Mahogany



9.3162 702-116701
Macoré



9.2178 707-116701
Walnut V
(NUSSBAUM V)



9.3149 708-116701
Rustic Oak
(EICHE RUSTIKAL)

CERTIFICATES & WARRANTY

WARRANTY AGREEMENT



profine GmbH, Mülheimer Straße 26, D-53840 Troisdorf

and

CAM Windows,
KPV/667-B, Pappanpady, Koovappady, Perumbavoor, Ernakulam District-683544,
Kerala, India

have agreed as follows:

KÖMMERLING uPVC window profiles are produced by profine GmbH KÖMMERLING KUNSTSTOFFE using state-of-the-art technology. These profiles are suitable for the manufacture of windows and doors.

1. Form design according to measurements, mechanical and thermal characteristics of uPVC window profiles in accordance with EN 12608: 2003-09, for window profiles made from 1.45 for the duration of 10 years exclusively for the colours white (654) and cream (ivory, 607).

2. Stress and resistance to weathering in accordance with EN 12608: 2003-09, 4.2 for the climate (S), subject to the regulations of EN 513:1999-10

3. The warranty period begins with the delivery of the uPVC profiles under the following conditions:

a) The processing instructions given by profine GmbH KÖMMERLING KUNSTSTOFFE in the manufacturing guidelines manual shall be observed in all cases. b) Accessories recommended by profine GmbH KÖMMERLING KUNSTSTOFFE shall be used.

c) Any deficiencies must be notified in writing within a period of ten working days starting from the delivery date. d) Load-bearing or supporting fitting elements (such as hinges, corner supports for tilt and windows or lockings) must not be fixed in the PVC parts only but have to be screwed directly with the steel reinforcement wherever possible.

e) In the event that these conditions are not fulfilled any liability under this agreement shall be excluded.

f) Warranty claims can only be offset against liabilities if these claims have been accepted by profine GmbH in writing.

g) Any amendment diverging hereof must be made in writing and requires the explicit approval by the General Management of profine GmbH.

h) The warranty shall be valid for India.

i) The place of jurisdiction shall be Troisdorf, Germany.

Troisdorf, 13.06.2014

Ernakulam,

[Signature]

profine GmbH, Mülheimer Straße 26, D-53840 Troisdorf
Geschäftsführung: Dr. Peter Mosak (Geschäftsführender Gesellschafter), Ursula Körtzschmar
Rechtsform: GmbH, Sitz der Gesellschaft: Troisdorf, Amtsgericht Siegburg, Handelsregister HRB 8435

profine GmbH KÖMMERLING KUNSTSTOFFE,
Germany, certifies our fabricator producing
KÖMMERLING PVC-U window and door systems in India.

CAM Windows

The company fabricates KÖMMERLING window and door systems according to DIN, BSI and EN.

The production is supervised and continually improved by our technicians.

[Signature]

Robert Thiroff
Head of Sales Area VI

profine GmbH

[Signature]

Farid Khan
Director & CEO

profine India Window Technology Pvt. Ltd.



profine GmbH, KÖMMERLING KUNSTSTOFFE



KÖMMERLING®



ERNAKULAM

Mather Builders
Veegaland Developers
Nest Infratech
VKL Builders
Sealord Group Of Hotels
Hotel Vedanta, Kaloor
Ac City Builders & Developers
KVJ Builders
Meridian Homes - Prime Meridian
Grand Meadows
Abad Builders
Kochin Towers
Anna Properties
Sonia Palms
Art Of Living
Sonia Regency

TRIVANDRUM & KOLLAM

PRS Lake Ville - Aakkulam
Abhilash Group
M H Trust - Ace Engineering College
Convention Center, Kilimanur
Artech Realtors
Al Arif Hospital
National Engineering College

THRISSUR, GURUVAYOOR & MALAPURAM

Ambalath Builders
Sundale Builders
Devadatham Builders
Skyarc Builders
Inkel Educity

OUR CLIENTS



CALICUT, WAYANAD & PALAKKAD

Malabar Builders And Developers
Crescent Builders
Royal Palms, Kozikode
Wayanad Weekend Homes, Mepady
Le Coffee, Sulthan Bathery
KTDC, Karapuzha Dam Site
Ahalia Group Of Hospitals

KOTTAYAM AND PALA

Theruvath Builders
KCC Homes
Trine Holding Villas
New Court Complex
Govt. Hospital Mundakayam
Mini Civil Station - Ponkunnum

ALLEPEY

The Haveli Backwater Resorts
Camelot Convention Center

IDUKKI AND MUNNAR

Las Palmas - Devikulam, Munnar
Wein Burner, Anchal
EAP Jewellers, Wagamon
Stream Valley Villas, Thodupuzha
Deep Woods - Lekshmi Estate, Munnar
Chethiparambil Rubbers, Karikkunnam
St. Joseph Church, Kuttikkanam
The Fog, Munnar
Tea Harvester, Dhobipalam
Panoromic Getaway, Anachal
Cee Cee Group Guest House, Anachal
Love Shore Adobes, Bodimettu
The Leaf, Anachal
The Green Pepper, Anachal
Kappitan Group Of Kollam Guest House, Upper Suryanelli
The Crayons, Anachal





COMPLETED
PROJECTS





Profile Drawings


System Gold Asea

2060 Rahmenprofil 52 mm / Frame profile




2060 weiß
white

P1963 Rahmenprofil 69 mm / Frame profile




P1963 weiß
white

P1463 Flügelprofil 78 mm / Sash profile




P1463 weiß
white

2067 Flügelprofil 68 mm / Sash profile




2067 weiß
white

2059 Flügelprofil 93 mm / Sash profile




2059 weiß
white

2069 Pfosten, Kämpferprofil 68 mm / Transom, mullion




2069 weiß
white

P1966 Wechselprofil 74 mm / Z - profile, transom, mullion




P1966 weiß
white

P1974 Universalprofil 36 mm / Universal profile



P1974 weiß
white


P1173 Stulpprofil 61 mm / Floating mullion



P1173 weiß
white


System Energy

P1971 Rahmenprofil 66 mm / Frame profile



P1971 weiß
white

P1972 Rahmenprofil 81 mm / Frame profile




P1972 weiß
white

P1961 Flügelprofil 81 mm / Sash profile




P1961 weiß
white

P1964 Flügelprofil 96 mm / Sash profile




P1964 weiß
white

P1968 Flügelprofil 96 mm / Sash profile



P1968 weiß
white

P1173 Stulpprofil 61 mm / Floating mullion



P1173 weiß
white

P1958 GlassWin Flügelprofil 51.8 mm / Sash profile



P1958 weiß
white

P1985 Pfosten, Kämpferprofil 86 mm / Transom, mullion



P1985 weiß
white

System ProVent

Dichtungssystem Seals system

EPDM Dichtungen EPDM Seals

Verglasungsdichtungen
Glazing Seals

X,Y




M9D39

Anschlagdichtung
Weather gasket


Y,Z



M9040



Systemmaße für Bearbeitungsmaschinen System dimensions for processing machines




P1781 Flügel, Pfosten 56 mm / Sash, Transom



P1781 weiß
white


P1780 Rahmenprofil 43 mm / Frame profile



P1780 weiß
white


System Orta

2178 Rahmenprofil 49 mm / Frame profile




2178 weiß
white

2161 Rahmenprofil 49 mm / Frame profile




2161 weiß
white

2165 Rahmenadapter 49 mm / Frame adaptor




2165 weiß
white

P1660 Rahmenprofil 57 mm / Frame profile




P1660 weiß
white

2170 Flügelprofil 61 mm / Sash profile




2170 weiß
white

2172 Flügelprofil 75 mm / Sash profile




2172 weiß
white

P1679 Insektenschutzflügel 48.5 mm / Flying Screen sash



P1679 weiß
white

P1999 Insektenschutzführung 41 mm / Screen track




P1999 weiß
white

2171 Abdeckprofil / Cover profile



2171 weiß
white

A002 Stulpprofil / Butt profile



A002 weiß
white


L9C37 Alternativabdeckung / Additional Cover profile



L9C37 weiß
white


System SF2

P1998 Rahmenprofil 58 mm / Frame profile



P1998 weiß
white

P0385 Rahmenprofil 48 mm / Frame profile




P0385 weiß
white

P0387 Rahmenadapter 48 mm / Frame adaptor




P0387 weiß
white

P0386 Festrahmen / Fixed sliding frame




P0386 weiß
white

P1944 Flügelprofil 76 mm / Sash profile



P1944 weiß
white

P0384 Fester Flügelpfosten / Fixed sash mullion



P0384 weiß
white

P1945 Abdeckprofil / Cover profile




P1945 weiß
white

L9652 Stulpprofil / Butt profile



L9652 weiß
white


L9C34 Alternativabdeckung / Additional Cover profile



L9C34 weiß
white


System Lift and Slide

P2175 Rahmenprofil 76 mm / Frame profile



P2175 weiß
white

P2062 Flügelprofil 100 mm / Sash profile



P2062 weiß
white

L9F12 Alu - Schwelle 20 mm / Alu threshold




L9F12 weiß
white

P2064 Laufschienenaufnahme / Rail carrier




P2064 weiß
white

P2075 Abdeckung / Cover profile



P2075 weiß
white


P2014 Dammprofil / Dam profile



P2014 weiß
white


Supplementary

P0481 Kopplungsprofil / Coupling profile




P0481 weiß
white

P0442 Kopplungsprofil / Coupling profile



P0442 weiß
white

P1674 90° Eckprofil / 90° Corner profile



P1674 weiß
white

P1675 90° Eckprofil / 90° Corner profile



P1675 weiß
white

P1338 Kopplungsabdeckung / Cover coupling profile




P1338 weiß
white

P1996 Variable Kopplung / Flexible coupling pipe




P1996 weiß
white

P1973 Adapter var. Kopplung / Flexible coupling adaptor




P1973 weiß
white

P1988 Verbreiterung / Extension profile



P1988 weiß
white

B8124 Brettprofil / Board profile



B8124 weiß
white

P1677 Kopplungsprofil / Coupling profile



P1677 weiß
white

P1248 Kopplungsprofil / Coupling profile




P1248 weiß
white

Zubehör / Accessories



F0002 Glasklotz 2 mm
Glass packer



F0003 Glasklotz 3 mm
Glass packer



F0005 Glasklotz 5 mm
Glass packer




F7448 Klippshalter
Clip holder

Glasleisten / Glazing beads



P1680 weiß
white

für System / for system
Orta



P1682.D weiß
white

für System / for system
Orta




P1681 weiß
white

für System / for system
Orta



P1355.2 weiß
white

für System / for systems
Gold Asea, SF2




P1984 weiß
white

für Systeme / for systems
Gold Asea, SF2



P1983 weiß
white

für Systeme / for systems
Gold Asea, SF2



P1994 weiß
white

für System / for system
SF2



P1965 weiß
white

für System / for system
SF2



P1980 weiß
white

für Universal Rahmen P1974 System Gold Asea
for Universal frame P1974 system Gold Asea

OUR CHANNEL PARTNERS

Profile Partner



KÖMMERLING®

Glass Partner

**SAINT-GOBAIN
GLASS**

Sealant Partner

**McCoy®
SODAL**

Hardware Partners

ASSA ABLOY

Pego
Inspired By Design,
Powered By Quality.